

ANNUAL REPORT – JANUARY 2020 TO DECEMBER 2020

- 1. Particulars of the Applicant :**
1. Name of the authorised person (Occupier/Operator) : Dr KODURU GOPALA KRISHNA
2. Name of the institution : AAYUSH NRI LEPL HEALTHCARE PVT. LTD.,
48-13-3 & 3 A, SRI RAMACHANDRA NAGAR
VIJAYAWADA – 520008.
- Telephone Number : 0866- 2541414
- 2. Categories of waste generated and quantity on a monthly average basis:**
- YELLOW : 1610.9 Kgs
RED WASTE : 1371.5 Kgs
WHITE TRANSLUCENT : 164.2 Kgs
BLUE : 397.8 Kgs
- 3. Brief details of the treatment facility (In case of site facility) :** Incineration / Deep Burial
1. Name of the Operator : Mr S Venkateswara Rao
2. Name and address of the facility : M/s.SAFENVIRON,
29-3-14, Governorpet
VIJAYAWADA – 520 002.
- 4. Category wise quantity of waste treated:** Clinical/ Infection waste incineration
Sharps.....Deep Burial
- 5. Mode of treatment with details :** Incineration/Deep burial
- 6. Any other information :**

CERTIFIED THAT THE ABOVE REPORT IS FOR THE PERIOD FROM JANUARY 2020 DECEMBER 2020

Date :

Place :

Signature:

Designation : Managing Director



Dr.K.Gopala Krishna, M.D., D.M.,
Managing Director

AAYUSH NRI LEPL Healthcare (P) Ltd., Sri Ramachandra Nagar, Vijayawada-520008.



FORM - II

(See rule 10)

APPLICATION FOR AUTHORISATION OR RENEWAL OF AUTHORISATION

(To be submitted by occupier of health care facility or common bio-medical waste treatment facility)

To

The Prescribed Authority
(Name of the State or UT Administration)
Address.

1. Particulars of Applicant:

- (i) Name of the Applicant:
(In block letters & in full) **DR. G. GOPALA KRISHNA**
- (ii) Name of the health care facility (HCF) or common bio-medical waste treatment facility (CBWTF): **AAYUSH NRI LEPL HEALTH CARE PVT. LTD.**
- (iii) Address for correspondence: **D. NO: 48-13-3, 3A RING ROAD,**
- (iv) Tele No., Fax No.: **OPP. SIDDHARTHA MEDICAL COLLEGE,**
- (v) Email: **SRI RAMACHANDRA NAGAR,**
- (vi) Website Address: **VIJAYAWADA - 520008.**
0866 - 2541414, 2541212.

2. Activity for which authorisation is sought:

- Activity
Generation, segregation
Collection,
Storage
packaging
Reception
Transportation
Treatment or processing or conversion
Recycling
 Disposal or destruction
use
offering for sale, transfer
Any other form of handling

Please tick

3. Application for fresh or renewal of authorisation (please tick whatever is applicable):

(i) Applied for CTO/CTE Yes/No

(ii) In case of renewal previous authorisation number and date:

KY-407/APPCB/ZO-VJA/CFO/W&A/2012-309

DATE: 06-05-2016

6. Brief description of arrangements for handling of biomedical waste (attach details):
- Mode of transportation (if any) of bio-medical waste:
 - Details of treatment equipment (please give details such as the number, type & capacity of each unit)

	No of units	Capacity of each unit
Incinerators :		
Plasma Pyrolysis:		
Autoclaves:		
Microwave:		
Hydroclave:		
Shredder:		
Needle tip cutter or destroyer		
Sharps encapsulation or concrete pit:		
Deep burial pits:		
Chemical disinfection:		
Any other treatment equipment:		

7. Contingency plan of common bio-medical waste treatment facility (CBWTF)(attach documents):

8. Details of directions or notices or legal actions if any during the period of earlier authorisation

9. Declaration

I do hereby declare that the statements made and information given above are true to the best of my knowledge and belief and that I have not concealed any information.

I do also hereby undertake to provide any further information sought by the prescribed authority in relation to these rules and to fulfill any conditions stipulated by the prescribed authority.

Date : 29.01.2021

Place: VIJAYAWADA

Signature of the Applicant
Dr. K. Gopal Krishna, M.D., D.M.,
 Managing Director
 Aayush EPL Healthcare Pvt. Ltd.,
 Sri Ramachandra Nagar,
 VIJAYAWADA-520 008.

Form - IV
(See rule 13)
ANNUAL REPORT


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or : operator of facility)	DR. R. GOPALA KRISHNA
	(ii) Name of HCF or CBMWTF	AAYUSH NRI LEPL HEALTH
	(iii) Address for Correspondence	CARE PVT. LTD.
	(iv) Address of Facility	D. No: 48-13-3, 3A,
	(v) Tel. No, Fax. No	SRI RAMACHANDRA NAGAR,
	(vi) E-mail ID	VIJAYAWADA-520008
	(vii) URL of Website	0866-2541414, 2541212.
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: KY-407/A.P.P.C.B./20-VJA/CFO/w # A/ 2012-309....valid up to 30/04/2021
	(xi). Status of Consents under Water Act and Air Act:	Valid up to:
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: 200
	(ii) Non-bedded hospital	
	(Clinic or Blood Bank or Clinical Laboratory for Research Institute or Veterinary Hospital or any other)	MULTI SPECIALITY HOSPITAL
	(iii) License number and its date of expiry	-
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	18
	(ii) No of beds covered by CBMWTF	200
	(iii) Installed treatment and disposal capacity of CBMWTF:Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTFKg per day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category :
		Red Category
		White
		Blue Category
		General Solid Waste:
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the	Size :
		Capacity :
		Provision of on-site storage: (Cold storage or any other provision)
	(ii) Disposal facilities	Type of treatment
		No. of units
		Capacity kg/day
		Quantity treated or

	many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	
11.	Is the disinfection method or sterilization meeting the log .4 standards? How many times you have not met the standards in a year?	:	
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....
.....
.....



Name and Signature of the Head of the Institution

Date: 29.01.2024
Place: VIJAYAWADA

Dr.K.Gopala Krishna,M.D.,D.M.,
Managing Director
Aayush NRI LEPL Healthcare Pvt.Ltd.,
Sri Ramachandra Nagar,
VIJAYAWADA-520 008.



ANDHRA PRADESH POLLUTION CONTROL BOARD
Paryavarana Bhavan, A-III, Industrial Estate,
Sanathnagar, Hyderabad - 500 018.
Phone : 040-23887500, Website: www.appcb.ap.nic.in

AUTO RENEWAL OF CONSENT, HAZARDOUS WASTE AUTHORISATION ORDER FOR OPERATIONS

In response to your application dated 14.02.2017 for Auto Renewal of Consent for Operation & Hazardous waste Authorisation Order, the Board is hereby extending validity period of Consent and Authorisation order issued vide Order 619/CBMWTF/VJY/CFO/2010-726, dated 26.05.2014 and valid upto 28.02.2017, for further period of 5 (five) years i.e., upto 28.02.2022 under sections 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary, Movement) Rules, 2016 and BMW Authorisation under Rule 10 of the Bio Medical Waste Management Rules, 2016.

1. All other conditions mentioned in Schedules A, B, C of the combined CFO&HWA order issued by the Board vide order dated 26.05.2014 & directions dated 04.06.2016 will remain same.
2. The industry shall comply with the standards issued by MoEF&CC / CPCB from time to time.
3. The facility shall submit the compliance report to all the stipulated conditions for Consent for Operation for every six months i.e. on 1st of January and 1st of July of every year.
4. The facility shall ensure that dedicated fund is allotted towards Environment Relief Fund (ERF) in the Public Liability Insurance policy and submit a copy of the policy at the Regional Office: Vijayawada every year.
5. In case of false certification, non compliance of conditions / directions and deficiency in furnishing the information by the industry, the Board can withdraw the auto renewed consent and take action under provisions of relevant Acts & Rules.

Date: 22.03.2017

Sd/-
MEMBER SECRETARY

To
M/s. Safenviron, (Unit - II),
Dharmavarapupadu Thanda (V),
Jaggalahpet (M),
Krishna District
E-mail: safenviron@yahoo.com

// T.C.F.B.O. //

Ulas
20/3/17
Joint Chief Environmental Engineer
Unit Head-IV



D.No.29-3-14, VENKATESWARA RAO STREET
GOVERNORPET, VIJAYAWADA – 520 002
PHONES: 2433355, 9848123355

Date: 13.01.2021

To whom so ever it may concern

This is to state that **M/s. Aayush NRI LEPL Health Care Pvt. Ltd., Sri Ramachandra Nagar, Vijayawada** is enrolled with us since **Apr'2012** and the Bio-Medical Waste generated in their Hospital is collected regularly and disposed in our plant at Dharmavarapadu Thanda (v), Jaggayapeta (M), Krishna District as per pollution laws.

For Safenviron

M/s. SAFENVIRON

R. Udaya 13/01/21
Authorized Signatory



D.No.29-3-14, VENKATESWARA RAO STREET
GOVERNORPET, VIJAYAWADA – 520 002
PHONES: 2433355, 9848123355

Date : 13.01.2021

WEIGHT REPORT FOR THE YEAR - 2020
Aayush Nri LepI Health Care, Vijayawada

Month	Yellow kgs		white kgs	Blue kgs
January'20	2294.38	1886.1	234.48	771.37
February	1871.78	1585.7	231.58	708.77
March	2545.4	1917.4	328.5	765.1
April	1072.5	867.2	105.8	288.5
May	1119.9	921.9	97	234.2
June	1448.2	1292	173.9	262.8
July	1598.8	1401.5	68.8	146.2
August	1552.61	1217.8	168.1	289.2
September	1211.1	1074.5	102.4	214
October	1584.4	1395.6	139.8	347.3
November	1320.8	1196.1	163.3	352.4
December	1711.6	1702.2	155.8	394.7
Total	19331.47	16458	1969.46	4774.54

M/s. SAFENVIRON

R. Udaya 13/01/21
Authorised Signatory



SAFENVIRON

#29-3-14, Venkateswara Rao Street
Governerpet, VIJAYAWADA-2
GSTIN/UIN: 37ACUPV1193N2Z5
State Name : Andhra Pradesh, Code : 37
E-Mail : safenviron@yahoo.com

CASH / CREDIT BILL

No. : KD-10032

Date. : 1-1-2021

Bill to

KD-VJBNZ-29-AAYUSH NRI LEPL HEALTHCARE PVT.LTD.

SRI RAMA CHANDRA NAGAR, VIJAYAWADA

Contact Nos : 0866 2541414; 2541414

State Name : Andhra Pradesh

GSTIN :

DESCRIPTION	Month	No. of Days	No. of Beds	Bed Rate Per Day	AMOUNT
CHARGES FOR COLLECTION, TRANSPORTATION AND DISPOSAL OF BIOMEDICAL WASTE	Dec-2020	31	200	6.00	37,200.00

Rupees : INR Thirty Seven Thousand Two Hundred Only

TOTAL

₹ 37,200.00

for SAFENVIRON

E. & O.E

A. Ramya
4/1/2021

AAYUSHNRILEPL HEALTHCARE PVT LTD- 2020-2021 - (from 1-Apr-2020)
48-13-3 & 3A SRI RAMACHANDRA NAGAR
VIJAYAWADA
CIN:U85100AP2011PTC072069
State Name : Andhra Pradesh, Code : 37
E-Mail : nrilhealthcare@gmail.com

Payment Voucher

No. : 5584

Dated : 5-Jan-2021

Particulars	Amount
Account :	
SAFENVIRON	36,920.00
Agst Ref KD-10032 36,920.00 Dr	
Through :	
HDFC BANK OD A/C - 50200007017249	
On Account of :	
Amount Paid to Safenviron charges for transportation and disposal of biomedical waste through NEFT Vide Bil No KD-10032 For The Month Of Dec2020.	
Amount (in words) :	
Indian Rupees Thirty Six Thousand Nine Hundred Twenty Only	
	₹ 36,920.00


Receiver's Signature:


Authorised Signatory



83

ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL OFFICE :: VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers' Colony, Gurunanak Road, Vijayawada – 8.

e-mail: zovjaicee@pcb.ap.gov.in

Ph : 0866-2546218
Fax: 0866-2546217

RED CATEGORY

CONSENT & AUTHORIZATION ORDER

BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

Consent Order No:Kr-407/APPCB/ZO-VJA/CFOW&A/2012- 309 Date: 6 -05-2016

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 & Amendments thereof and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

M/s. Aayush NRI LEPL Health Care Private Limited
D. No. 48 – 13 - 3 & 3A
Sri Rama Chandra Nagar
Vijayawada
Krishna District-520 007

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

(i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge KLD	Point of Disposal
1	Trade Effluents	35.0	After disinfection, shall be disposed to underground municipal drainage finally joining to Sewage Treatment Plant (STP).

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow (m ³ /hr)
1	Stack attached to 500 KVA D.G. Set	-----

iii) HAZARDOUS WASTE AUTHORISATION (FORM – II) [See Rule 5 (4)]:

M/s. Aayush NRI LEPL Health Care Private Limited is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

• HAZARDOUS WASTES WITH RECYCLING OPTION:

Sl. No	Name of Hazardous Waste	Stream	Quantity	Method of disposal
1.	Used oil	5.1 of Schedule-I	50 Lts/Annum	Disposal to A.P.P.C.B. authorised reprocessing agencies.

Phani

SCHEDULE-A

- 1) Any up-set condition in any industrial plant / activity of the HCE, which result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.
- 2) The HCE should carryout analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
- 3) All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
- 4) The HCE should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CFO and exhibit the CFO order at a prominent place in the factory premises.
- 5) Notwithstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
- 6) The HCE shall file the water cess returns in Form-I as required under section (5) of Water (Prevention and Control of Pollution) Cess Act, 1977 on or before the 5th of every calendar month, showing the quantity of water consumed in the previous month along with water meter readings. The HCE shall remit water cess as per the assessment orders as and when issued by Board.
- 7) The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.
- 8) The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board. The HCE should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.
- 9) Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules 1982, to Appellate authority constituted under Section 28 of the Water(Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air(Prevention and Control of Pollution) Act, 1981.

SCHEDULE - B

Special Conditions

- 1) The effluent discharged shall not contain constituents in excess of the tolerance limits mentioned below.

Outlet	Parameter	Limiting Standards
1	pH	6.5-9.0
	Total Suspended Solids (TSS at 103 – 105 °C)	100.00 mg/l
	Chemical Oxygen Demand (COD)	250.00 mg/l
	Biochemical Oxygen Demand (BOD ₃ at 27 °C)	30.00 mg/l
	Oil and Grease	10.00 mg/l
	Bio Assay Test	90% survival of fish after 96 hours in 100% effluent.

SCHEDULE - C

[See rule 5(4)]

**[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING
HAZARDOUS WASTES]**

- 1) All the rules and regulations notified by Ministry of Environment and Forests, Government of India under the E(P) Act, 1986 in respect of management, handling, transportation and storage of the Hazardous wastes should be followed.
- 2) The HCE shall not store hazardous waste for more than 90 days as per the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and amendments thereof.
- 3) The HCE shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
- 4) The HCE shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM) Card.
- 5) The HCE shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 22(2) of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and amendments thereof.



[Handwritten Signature]
JOINT CHIEF ENVIRONMENTAL ENGINEER

06/5